## SAFETY DATA SHEET Hulk Degreaser 1:40 Concentrate



#### SECTION 1: IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

**Product Description:** HULK Degreaser 1:40 Concentrate

Model Type: Multi - Purpose Car Cleaner Part No.: FX 904120 & FX 904104

Brand Name: Fenix Auto Cosmetics

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses as product description

## 1.3. Details of the supplier of the safety data sheet

Manufacturer: Nobel Chemicals Company

Alexandria desert road - Amryah - Egypt

Telephone +201206310853 Ahmed\_hamdy\_3@yahoo.com

#### **SECTION 2: HAZARDS IDENTIFICATION**

#### **Label Elements:**

Label In Accordance With (EC) No. 1272/2008



Signal word Danger

**Hazard statement** Causes skin irritation. May cause an allergic skin reaction.

Causes serious eye damage.

Harmful to aquatic life with long lasting effects.

**Precautionary statement** 

**Prevention** Avoid breathing mist or vapor. Wash thoroughly after handling. Contaminated work clothing must

not be allowed out of the workplace. Avoid release to the environment. Wear eye protection/face

protection. Wear protective gloves.keep out of children

**Response** If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated

clothing and wash before reuse.

**Storage** Store away from incompatible materials.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise classified (HNOC)

None known.

Supplemental information

2.65% of the mixture consists of component(s) of unknown acute oral toxicity. 3.77% of the mixture consists of component(s) of unknown acute dermal toxicity. 5.95% of the mixture consists of component(s) of unknown acute inhalation toxicity. 9% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 9% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

## 1. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
2-(2-butoxyéthoxy) Éthanol		112-34-5	5 - < 10
Alcohols, C12-16, Ethoxylated (>1 <2.5 Mol Eo)		68551-12-2	1 - < 3
Alcohols, C9-11, ethoxylated		68439-46-3	1 - < 3
Sodium Carbonate (soda Ash)		497-19-8	< 0.3
Tetrasodium Ethylenediaminetetraacetate		64-02-8	< 0.3
Soda, Caustic		1310-73-2	< 0.1
Sodium Chloride		7647-14-5	< 0.1
Other components below reportable	levels		90 - 100

<sup>\*</sup>Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

#### 2. First-aid measures

**Inhalation** Move to fresh air. Call a physician if symptoms develop or persist.

**Skin contact** Remove contaminated clothing immediately and wash skin with soap and water. In case of

eczema or other skin disorders: Seek medical attention and take along these instructions. Wash

contaminated clothing before reuse.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical attention immediately.

**Ingestion** Rinse mouth. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and

symptoms/effects, acute ar delayed

Indication of immediate

medical attention and special treatment needed

General information

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to

## 3. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

IIICuia

During fire, gases hazardous to health may be formed.

Specific hazards arising from the chemical

Special protective equipment and precautions for firefighters

protect themselves. Wash contaminated clothing before reuse.

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Firefighting equipment/instructions

Move containers from fire area if you can do so without risk.

**Specific methods**Use standard firefighting procedures and consider the hazards of other involved materials.

**General fire hazards**No unusual fire or explosion hazards noted.

#### 4. Accidental release measures

Personal precautions, protective equipment and emergency procedures

# Methods and materials for containment and cleaning up

Prevent product from entering drains.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

**Environmental precautions** 

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

## 5. Handling and storage

Precautions for safe handling

Do not get this material in contact with eyes. Avoid breathing mist or vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store in original tightly closed container. Keep out of the reach of children. Store away from incompatible materials (see Section 10 of the SDS).

## 6. Exposure controls/personal protection

## Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

## US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	
Soda, Caustic (CAS 1310-73-2)	PEL	2 mg/m3	
<b>US. ACGIH Threshold Limit Value</b>	s		
Components	Туре	Value	Form
2-(2-butoxyéthoxy) Éthanol (CAS 112-34-5)	TWA	10 ppm	Inhalable fraction and vapor.
Soda, Caustic (CAS 1310-73-2)	Ceiling	2 mg/m3	·
US. NIOSH: Pocket Guide to Chem	nical Hazards		
Components	Туре	Value	
Soda, Caustic (CAS	Ceiling	2 mg/m3	

#### **Biological limit values**

1310-73-2)

No biological exposure limits noted for the ingredient(s).

# Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station. Eye wash fountain and emergency showers are recommended.

## Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles) or a face shield.

Skin protection

**Hand protection** Wear appropriate chemical resistant gloves.

Other Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

**Respiratory protection** Chemical respirator with organic vapor cartridge and full facepiece if threshold limits are exceeded.

Dust mask.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the

## 7. Physical and chemical properties

Appearance Clear. Liquid
Physical state Liquid.
Form Liquid.
Color Light blue.
Odor odourless
Odor threshold Not available.

**pH** 6.5-7.5

Melting point/freezing point -90.58 °F (-68.1 °C) estimated / 32 °F (0 °C)

Initial boiling point and boiling 446.72 °F (230.4 °C) estimated

range

Flash point

Evaporation rate

Not available.

Flammability (solid, gas)

Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

(%)

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure 0.002 hPa estimated

Vapor densityNot available.Relative densityNot available.

Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature 442 °F (227.78 °C) estimated

**Decomposition temperature** Not available. **Viscosity** Not available.

Other information

Density 8.42 lbs/gal
Explosive properties Not explosive.
Oxidizing properties Not oxidizing.
Percent volatile 95.09 % estimated

Specific gravity 1.01

VOC 6 % estimated

### 8. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

**Chemical stability** Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

**Conditions to avoid**Contact with incompatible materials.

**Incompatible materials** Strong oxidizing agents.

incompatible materials Strong oxidizing agent

Hazardous decomposition products

No hazardous decomposition products are known.

## 9. Toxicological information

Information on likely routes of exposure

**Inhalation** Prolonged inhalation may be harmful.

**Skin contact** Causes skin irritation. May cause an allergic skin reaction.

**Eye contact** Causes serious eye damage.

**Ingestion** Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Skin irritation. May cause

redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.

Information on toxicological effects

Acute toxicity Not known.

Components Species Test Results

2-(2-butoxyéthoxy) Éthanol (CAS 112-34-5)

Acute Dermal

LD50 Rabbit 2700 mg/kg

Oral

LD50 Rat 4500 mg/kg

Sodium Carbonate (soda Ash) (CAS 497-19-8)

Acute Oral

LD50 Rat 4090 mg/kg

Sodium Chloride (CAS 7647-14-5)

Acute Oral

LD50 Rat 3000 mg/kg

**Skin corrosion/irritation** Causes skin irritation.

Serious eye damage/eye

Causes serious eye damage.

irritation

Respiratory or skin sensitization

**Respiratory sensitization** Not a respiratory sensitizer.

**Skin sensitization** May cause an allergic skin reaction.

**Germ cell mutagenicity**No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

**Carcinogenicity** Not classifiable as to carcinogenicity to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

**Reproductive toxicity**This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

**Aspiration hazard** Not an aspiration hazard.

**Chronic effects** Prolonged inhalation may be harmful.

10. Ecological information

**Ecotoxicity** Harmful to aquatic life with long lasting effects.

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

Components Species Test Results

2-(2-butoxyéthoxy) Éthanol (CAS 112-34-5)

Aquatic

Fish LC50 Bluegill (Lepomis macrochirus) 1300 mg/l, 96 hours

Alcohols, C9-11, ethoxylated (CAS 68439-46-3)

Aquatic

Crustacea EC50 Water flea (Daphnia magna) 2.9 - 8.5 mg/l, 48 hours
Fish LC50 Fathead minnow (Pimephales promelas) 6 - 12 mg/l, 96 hours

Soda, Caustic (CAS 1310-73-2)

Aquatic

Crustacea EC50 Water flea (Ceriodaphnia dubia) 34.59 - 47.13 mg/l, 48 hours

Fish LC50 Western mosquitofish (Gambusia affinis) 125 mg/l, 96 hours

Sodium Carbonate (soda Ash) (CAS 497-19-8)

Aquatic

Crustacea EC50 Water flea (Ceriodaphnia dubia) 156.6 - 298.9 mg/l, 48 hours

Fish LC50 Bluegill (Lepomis macrochirus) 300 mg/l, 96 hours

Sodium Chloride (CAS 7647-14-5)

Aquatic

Crustacea EC50 Water flea (Daphnia magna) 340.7 - 469.2 mg/l, 48 hours
Fish LC50 Fathead minnow (Pimephales promelas) 6020 - 7070 mg/l, 96 hours

Tetrasodium Ethylenediaminetetraacetate (CAS 64-02-8)

Aquatic

Fish LC50 Bluegill (Lepomis macrochirus) 472 - 500 mg/l, 96 hours

#### Persistence and degradability

#### Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

2-(2-butoxyéthoxy) Éthanol 0.56

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

## 11. Disposal considerations

**Disposal instructions**Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

**Local disposal regulations** Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

oroduct residues. Triis material and its container must be disposed of itra sai

Disposal instructions).

**Contaminated packaging** Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

## 12. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

Transport in bulk according to Annex II of MARPOL 73/78 and

Not established.

## 13. Regulatory information

**US** federal regulations

the IBC Code

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

## TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

#### **CERCLA Hazardous Substance List (40 CFR 302.4)**

2-(2-butoxyéthoxy) Éthanol (CAS 112-34-5) Listed. Soda, Caustic (CAS 1310-73-2) Listed.

## SARA 304 Emergency release notification

Not regulated.

## OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

## Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

#### SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No

chemical

## SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.
2-(2-butoxyéthoxy) Éthanol	112-34-5	5 - < 10

#### Other federal regulations

## Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

2-(2-butoxyéthoxy) Éthanol (CAS 112-34-5)

## Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

(SDWA)

Not regulated.

#### **US** state regulations

## US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd.

(a))

2-(2-butoxyéthoxy) Éthanol (CAS 112-34-5)

Soda, Caustic (CAS 1310-73-2)

## International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	
Canada	Domestic Substances List (DSL)	
Canada	Non-Domestic Substances List (NDSL)	
China	Inventory of Existing Chemical Substances in China (IECSC)	
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	
Europe	European List of Notified Chemical Substances (ELINCS)	
Japan	Inventory of Existing and New Chemical Substances (ENCS)	
Korea	Existing Chemicals List (ECL)	
New Zealand	New Zealand Inventory	
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	

Country(s) or region Inventory name On inventory (yes/no)\*

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

Vac

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

## 14. Other information, including date of preparation or last revision

 Issue date
 04-28-2015

 Revision date
 05-10-2017

Version # 04

HMIS® ratings Health: 3

Flammability: 0 Physical hazard: 0

NFPA ratings Health: 3

Flammability: 0 Instability: 0

NFPA ratings



**Disclaimer** The information provided in this Safety Data Sheet is correct to the best of our knowledge,

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text.

**Revision information**This document has undergone significant changes and should be reviewed in its entirety.